


## Dreika K1 NS ACID RESISTANT with knobs and a clamp, bevel cut



Dreika K1 N S acid-resistant is mainly used for standing reinforcement in precast concrete pipe plants. The concrete is chemically resistant. N stands for the dimpled contact surface. The dimpled surface means that the spacer is not in full contact with the formwork and is only slightly visible on the concrete surface after concreting. S stands for diagonal cut. Two parallel diagonal cuts are made at the factory. This prevents the formwork from settling and catching. The formwork slides over the slope along the triangular section. The length of the Dreika is designed for a rebar spacing of up to max. 15 cm. A steel clamp Ø2 mm is fitted at the factory. The Dreika can be mounted on reinforcing steel Ø 6-14 mm. The clamp ensures very quick installation. Thanks to its fastening and elongated shape, the Dreika is tilt-proof and stable.

## Dreika K1 NS ACID RESISTANT with knobs and a clamp, bevel cut

| Article number | Title of variant                                                                 | Concrete cover mm | L mm | Packaging piece/ metre/ metre by the bucket/ bag/ bundle/ box/ can | Weight kg/100 pieces | Packaging piece/gibo |
|----------------|----------------------------------------------------------------------------------|-------------------|------|--------------------------------------------------------------------|----------------------|----------------------|
| 22210410       | Dreika 20/18 K1 NS ACID RESISTANT with knobs and a clamp for Ø6-14 mm, bevel cut | 20                | 180  | 180 pieces/bag                                                     | 11                   | 8.000                |
| 22211410       | Dreika 25/18 K1 NS ACID RESISTANT with knobs and a clamp for Ø6-14 mm, bevel cut | 25                | 180  | 175 pieces/bag                                                     | 13                   | 7.500                |
| 22212410       | Dreika 30/18 K1 NS ACID RESISTANT with knobs and a clamp for Ø6-14 mm, bevel cut | 30                | 180  | 150 pieces/bag                                                     | 18                   | 5.000                |
| 22213410       | Dreika 35/18 K1 NS ACID RESISTANT with knobs and a clamp for Ø6-14 mm, bevel cut | 35                | 180  | 125 pieces/bag                                                     | 23                   | 4.000                |
| 22214410       | Dreika 40/18 K1 NS ACID RESISTANT with knobs and a clamp for Ø6-14 mm, bevel cut | 40                | 180  | 100 pieces/bag                                                     | 24                   | 3.500                |
| 22215410       | Dreika 45/18 K1 NS ACID RESISTANT with knobs and a clamp for Ø6-14 mm, bevel cut | 45                | 180  | 75 pieces/bag                                                      | 27                   | 2.500                |
| 22216410       | Dreika 50/18 K1 NS ACID RESISTANT with knobs and a clamp for Ø6-14 mm, bevel cut | 50                | 180  | 70 pieces/bag                                                      | 30                   | 2.000                |
| 22217410       | Dreika 55/18 K1 NS ACID RESISTANT with knobs and a clamp for Ø6-14 mm, bevel cut | 55                | 180  | 65 pieces/bag                                                      | 33                   | 1.500                |
| 22218410       | Dreika 60/18 K1 NS ACID RESISTANT with knobs and a clamp for Ø6-14 mm, bevel cut | 60                | 180  | 60 pieces/bag                                                      | 37                   | 1.250                |
| 22219410       | Dreika 70/18 K1 NS ACID RESISTANT with knobs and a clamp for Ø6-14 mm, bevel cut | 70                | 180  | 55 pieces/bag                                                      | 40                   | 1.100                |

## Dreika K1 NS ACID RESISTANT with knobs and a clamp, bevel cut

| Article number | Title of variant                                                                 | Concrete cover mm | L mm | Packaging piece/ metre/ metre by the metre/ bucket/ bag/ bundle/ box/ can | Weight kg/100 pieces | Packaging piece/gibo |
|----------------|----------------------------------------------------------------------------------|-------------------|------|---------------------------------------------------------------------------|----------------------|----------------------|
| 22231410       | Dreika 80/18 K1 NS ACID RESISTANT with knobs and a clamp for Ø6-14 mm, bevel cut | 80                | 180  | 50 pieces/bag                                                             | 44                   | 1.000                |